

SHANDONG BINZHOU ZHIYUAN BIOTECHNOLOGY CO.,LTD 山东省滨州市博兴县经济开发区兴业四路 118 号 BOXING ECONOMIC DEVELOPMENT ZONE, BINZHOU,SHANDONG,CHINA 电话 TEL:+86-531-88916568 Mail:enquiry@cydextrin.com

Specification Data Sheet for 2,6-Di-O-methyl-beta-cyclodextrin

Cas No:51166-71-3

Appearance:	White powder;Odorless,slightly sweet;
Solubility:	Very soluble in water, sparingly soluble in methanol, easily soluble in ethanol and ethylene glycol, almost insoluble in cyclohexane and ethyl acetate.
Assay	98.0%
Specific rotation	+154°~+165°
Water solution PH	PH 5.0~7.5
Clarity of Solution	2.5g/25ml Water solution is clear
Light-absorbing impurities	Between 230 nm and 350 nm,the absorbance is not greater than 1.0;and between 350 nm and 750 nm,the absorbance is not greater than 0.1
Average Degree of Substitution	7.0~13.3
Loss on Drying	≤7.0%
Residue on ignition	≤0.5%
Heavy Metal	≪10ppm
Beta Cyclodextrin	≪0.2%
Chloride	≪0.2%
The total aerobic microbial count	≤1000cfu/g
The total combined moulds and yeasts count	≪100cfu/g
Escherichia coli	Absence